Licata S.p.A.	Revision nr. 1
	Dated 08/09/2017
A013B - Isolante LG	Printed on 26/09/2017
	Page n. 1/9

# **Information Sheet**

	iniormation Sheet		
SECTION 1 Ident	ification of the su	ubstance/mixture and of the company/undertaking.	
OLOTION I. Idoli		isotatios/mixture und of the company/undertaking.	
1.1. Product identifier.			
Code:		A013B	
Product name.		Isolante LG	
1.2. Relevant identified Intended use.		or mixture and uses advised against. o promote good adhesion of top coat	
1.3. Details of the suppl	ier of the safety data sh		
Name.		Licata S.p.A.	
Full address.		Via De Gasperi,155	
District and Country.		92024 Canicattì (AG)	
		Italia	
		Tel. + 39 0922 856088	
		Fax. +39 0922 831427	
e-mail address of the con responsible for the Safety		laboratorio.red@licataspa.com	
<b>1.4. Emergency telepho</b> For urgent inquiries refer		+ 39 0922 856088	
SECTION 2. Haza	rds identification		
2.1. Classification of the The product is not classification by supplements).  Hazard classification and in	ied as hazardous pursua	nt to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and	
2.2. Label elements.			
Hazard pictograms:			
Signal words:			
Hazard statements:			

Licata S.p.A.	Revision nr. 1
	Dated 08/09/2017
A013B - Isolante LG	Printed on 26/09/2017 Page n. 2/9
Precautionary statements:	
-	
2.3. Other hazards.	
PBT substances contained:	
Imidazo[4,5-d]imidazol-2,5(1h,3h)-dione,tetraidro-1,3,4,6-	
SECTION 3. Composition/information on ingredients.	
3.1. Substances.	
Information not relevant.	
3.2. Mixtures.	
The product does not contain substances classified as being hazardous to human health or the environment pursua 1272/2008 (CLP) (and subsequent amendments and supplements) in such quantities as to require the statement.	ant to the provisions Regulation (EU)
SECTION 4. First aid measures.	
SECTION 4. First aid measures.	
4.1. Description of first aid measures.	
Not specifically necessary. Observance of good industrial hygiene is recommended.	
not specifically fledesselfy. Observance of good industrial riggione to resonante lidea.	
4.2. Most important symptoms and effects, both acute and delayed.	
No written evidence of damage to health for the product have been reported.	
4.2. Indication of any immediate medical attention and appoint treatment needed	
4.3. Indication of any immediate medical attention and special treatment needed.	
Information not available.	
OFOTION 5 Finefinitely and a superior	
SECTION 5. Firefighting measures.	
5.1. Extinguishing media.	
SUITABLE EXTINGUISHING EQUIPMENT	
Extinguishing substances are: carbon dioxide and chemical powder. For product loss or leakage that has not cau	ght fire, water spray can be used to

Licata S.p.A.	Revision nr. 1
	Dated 08/09/2017
A013B - Isolante LG	Printed on 26/09/2017
I	Page n. 3/9

disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water.

Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

#### 5.2. Special hazards arising from the substance or mixture.

#### HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

If large quantities of the product are involved in a fire, they can make it considerably worse. Do not breathe combustion products.

#### 5.3. Advice for firefighters.

#### GENERAL INFORMATION

In the case of fire, use jets of water to cool the containers to prevent the risk of explosions (product decomposition and excess pressure) and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Remove all containers containing the product from the fire if it is safe to do so

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## SECTION 6. Accidental release measures.

## 6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

## 6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

# 6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

# **SECTION 7. Handling and storage.**

Licata S.p.A.	Revision nr. 1
	Dated 08/09/2017
A013B - Isolante LG	Printed on 26/09/2017
	Page n. 4/9

#### 7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

7.2. Conditions for safe storage, including any incompatibilities.

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.

# **SECTION 8. Exposure controls/personal protection.**

#### 8.1. Control parameters.

Information not available.

## 8.2. Exposure controls.

Comply with the safety measures usually applied when handling chemical substances.

HAND PROTECTION None required.

SKIN PROTECTION

None required.

EYE PROTECTION

None required.

## RESPIRATORY PROTECTION

None required, unless indicated otherwise in the chemical risk assessment.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

# **SECTION 9. Physical and chemical properties.**

9.1. Information on basic physical and chemical properties.

Appearance Dense liquid
Colour white

# Licata S.p.A. Revision nr. 1 Dated 08/09/2017 Printed on 26/09/2017 Page n. 5/9

Odour characteristic
Odour threshold. Not available.

nH 8,5

Not available. Melting point / freezing point. Not available. Initial boiling point. Not available. Boiling range. Not available. Flash point. Not available. **Evaporation Rate** Not available. Flammability of solids and gases Not available. Lower inflammability limit. Not available. Upper inflammability limit. Not available. Lower explosive limit. Not available. Upper explosive limit. Not available. Vapour pressure. Not available. Vapour density Not available. Relative density.

Solubility Homogeneous Solution

Partition coefficient: n-octanol/water
Auto-ignition temperature.

Decomposition temperature.

Viscosity

Explosive properties

Oxidising properties

Not available.

Not available.

Not available.

Not available.

# 9.2. Other information.

Total solids (250°C / 482°F) 70,20 %
VOC (Directive 2010/75/EC) : 0,73 %
VOC (volatile carbon) : 0

# SECTION 10. Stability and reactivity.

## 10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

# 10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

# Licata S.p.A. Revision nr. 1 Dated 08/09/2017 A013B - Isolante LG Printed on 26/09/2017 Page n. 6/9

#### 10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

#### 10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

#### 10.5. Incompatible materials.

Information not available.

#### 10.6. Hazardous decomposition products.

Information not available.

# **SECTION 11. Toxicological information.**

#### 11.1. Information on toxicological effects.

ACUTE TOXICITY.

LC50 (Inhalation - vapours) of the mixture: Not classified (no significant component).

LC50 (Inhalation - mists / powders) of the mixture: Not classified (no significant component).

LD50 (Oral) of the mixture: Not classified (no significant component).

LD50 (Dermal) of the mixture: Not classified (no significant component).

## SKIN CORROSION / IRRITATION.

Does not meet the classification criteria for this hazard class.

SERIOUS EYE DAMAGE / IRRITATION.

Does not meet the classification criteria for this hazard class.

RESPIRATORY OR SKIN SENSITISATION.

Does not meet the classification criteria for this hazard class.

GERM CELL MUTAGENICITY.

Does not meet the classification criteria for this hazard class. CARCINOGENICITY.

Does not meet the classification criteria for this hazard class.

REPRODUCTIVE TOXICITY.

Does not meet the classification criteria for this hazard class.

STOT - SINGLE EXPOSURE.
Does not meet the classification criteria for this hazard class.

STOT - REPEATED EXPOSURE.

Does not meet the classification criteria for this hazard class.

Licata S.p.A.	Revision nr. 1 Dated 08/09/2017
A013B - Isolante LG	Printed on 26/09/2017 Page n. 7/9

#### ASPIRATION HAZARD.

Does not meet the classification criteria for this hazard class.

# **SECTION 12. Ecological information.**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

#### 12.1. Toxicity.

Information not available.

## 12.2. Persistence and degradability.

Information not available.

## 12.3. Bioaccumulative potential.

Information not available.

#### 12.4. Mobility in soil.

Information not available.

#### 12.5. Results of PBT and vPvB assessment.

PBT substances contained:

Imidazo[4,5-d]imidazol-2,5(1h,3h)-dione,tetraidro-1,3,4,6-

#### 12.6. Other adverse effects.

Information not available.

# **SECTION 13. Disposal considerations.**

## 13.1. Waste treatment methods.

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

# **SECTION 14. Transport information.**

Licata S.p.A.	Revision nr. 1
	Dated 08/09/2017
A013B - Isolante LG	Printed on 26/09/2017
	Page n. 8/9

# **SECTION 15. Regulatory information.**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso Category - Directive 2012/18/EC:

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

None.

Substances in Candidate List (Art. 59 REACH).

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisarion (Annex XIV REACH).

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

None.

Healthcare controls.

Information not available.

#### 15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

## **SECTION 16. Other information.**

## LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%

Licata 5.p.A.	Revision nr. 1 Dated 08/09/2017
AU13B - Isolante LG	Printed on 26/09/2017 Page n. 9/9

- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

## Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.