




NEW BUILD | REBUILD | RENOVATE

www.licataltd.co.uk



CLAY BRICKSLIPS

Licata clay slips are a versatile thin brick cladding that simulates the look of traditional clay brickwork whilst providing greater insulation and more flexibility of style and application.

Key Features

- A2 fire classification
- Traditional aesthetic
- Quick to install
- High impact resistance
- For Internal & External Use

PRODUCTS


Our clay slips come in a range of sizes, colours and textures, and are suitable for both internal and external use. Providing modern insulation and greater adaptability whilst giving you that traditional brickwork look that is so popular in the UK.

Suitable for both low and high rise buildings, this is an A2 fire classification brick slip system in accordance with BS EN 13501-1 : 2007.

LICATA CLAY BRICK SLIP SYSTEM ON STEEL FRAME

Clay Brick slips can be used in conjunction with a Licata Therm External Wall Insulation System on steel framed systems.

- Full system beads
- Insulation boards
- Fixings
- Reinforcing coat
- Acrylic Brick slips and pointing mortar



Features

Suitable For Steel Frames Over 700 Colour Options Weather Resistant Protects Against Algae & Mould Excellent Drying Time Breathable & Lightweight Durable & Water Repellent Great Adhesion & Spreadability



SCAN ME TO VIEW THE FULL SYSTEM ONLINE.

1. Steel Frame

2. Licata A1 Rated Fibre Cement Board

3. Adhesive system. Acril Primer plus, to substrate to ensure correct adhesion

4. Insulation Boards achieve insualtion values to meet or exceed, stringent requirements of Part 'L' of the building regualtions.

5. Reinforcing Coat Raso Plus - a dry adhesive hydraulic and polymer binder, modifying additives and fine grain fillers, vapour permeable. Range of working temperatures from +5 to +30 C. Mixed with around 6.5 litres of clean water per 25kg bag. 6. Reinforcements shall be our fibreglass mesh with a surface treatment coating to provide a high resistance to alkali attack and is manufactured so as to prevent laminar movement and deformation.

7. Licata Clay Brick slips adhesive (Super S1)


8. Clay Brick Slips to create the appearance of a classic brick finish.












LICATA CLAY BRICK SLIP SYSTEM ON SUBSTRATE TIMBER

Clay Brick slips can be used in conjunction with a Licata Therm External Wall Insulation System on panel substrate-timber framed systems.

- Full system beads
- Insulation boards
- Fixings
- Reinforcing coat
- Acrylic Brick slips and pointing mortar



Features

Suitable For Timber Frames Over 700 Colour Options Weather Resistant Protects Against Algae & Mould Excellent Drying Time Breathable & Lightweight Durable & Water Repellent Great Adhesion & Spreadability



SCAN ME TO VIEW THE FULL SYSTEM ONLINE.

1. Panel Substrate-Timber

2. Licata A1 Rated Fibre Cement Board

3. Adhesive system. Acril Primer plus, to substrate to ensure correct adhesion

4. Insulation Boards achieve insualtion values to meet or exceed, stringent requirements of Part 'L' of the building regualtions.

5. Reinforcing Coat Raso Plus - a dry adhesive hydraulic and polymer binder, modifying additives and fine grain fillers, vapour permeable. Range of working temperatures from +5 to +30 C. Mixed with around 6.5 litres of clean water per 25kg bag. 6. Reinforcements shall be our fibreglass mesh with a surface treatment coating to provide a high resistance to alkali attack and is manufactured so as to prevent laminar movement and deformation.

7. Licata Clay Brick slips adhesive (Super S1)

8. Clay Brick Slips to create the appearance of a classic brick finish.










LICATA CLAY BRICK SLIP SYSTEM ON BLOCK WORK/BRICK WORK

Clay Brick slips can be used in conjunction with a Licata Therm External Wall Insulation System on block work/brick work.

- Full system beads
- Insulation boards
- Fixings
- Reinforcing coat
- Acrylic Brick slips and pointing mortar



Features

Suitable For Various Substrates Over 700 Colour Options Weather Resistant Energy Carbon Saving Breathable Protects against algae & mould Fully Fire Compliant Suitable For New Builds & Refurbishment



1. Blockwork/ Brickwork or steel framed systems

2. Adhesive system. Acril Primer Plus, to substrate to ensure correct adhesion

3. Insulation Boards achieve insualtion values to meet or exceed, stringent requirements of Part 'L' of the building regualtions.

4. Fire Barriers to comply with the reccomendations of the BRE, horizontal barriers are required to be placed at every floor level above 2 storeys. These barriers comprise of 1200mm x 200mm rock fibre panels, density 140kg/m3. The strip is adhered to the substrate in a continuous strip around the building. 5. Reinforcing Coat Raso Plus - a dry adhesive hydraulic and polymer binder, modifying additives and fine grain fillers, vapour permeable. Range of working temperatures from +5 to +30 C. Mixed with around 6.5 litres of clean water per 25kg bag.

6. Reinforcements shall be our fibreglass mesh with a surface treatment coating to provide a high resistance to alkali attack and is manufactured so as to prevent laminar movement and deformation.

7. Licata Clay Brick slips adhesive (Super S1)

8. Clay Brick Slips to create the appearance of a classic brick finish.









APPLICATION

Take a look at our 5 part step by step for applying our brick slips.



With the help of a notched trowel (4 mm) spread special Basecoat adhesive on a substrate of approximately 1m2. Do not spread on wider area due to fast drying rate of the adhesive. Thickness of the layer should be around 2 mm. It is recommended to start where the first tile is to be installed and working across horizontally to complete at least one full row of brick slips.



Depending on you project and the dimensions of your wall you may need to cut brick slips to ensure a perfect finish. Carefully mark out the brick slips to be cut, it is best practice to mark out all the slips and cut them all together by using a tile cutter, angle grinder etc. Remove all dust and debris from the back face of the brick with a wire brush.




After pressing the brick slips the fresh excess adhesive must be removed by using a brush (12 mm wide) .It is very important to pay attention to the execution of sealing the joints to block the access of the water between the brick slips and the adhesive. It is very important to cover the edges of the brick slips must be fully coated with the adhesive.



Lay from several boxes of brick slips at the same time to ensure a nice even colour variation, and to avoid any "banding" issues. Start from one end of your wall, push the first brick slip firmly onto the adhesive applying even pressure across the whole face of the brick slip. After the first slip is installed leave 12-14 mm space between the brick slips. You must carefully press over its entire surface to the adhesive immediately after the application. Laying in horizontal runs until you have completed the wall.



Corners are installed in the same process as the brick slips.






THE HERITAGE RANGE

Clay Brick Slip





ANTIQUE RED

Clay Brick Slip

SIZE

215mm x 65mm







RUSTIC SAND


Clay Brick Slip

SIZE

215mm x 65mm










Clay Brick Slip

SIZE

215mm x 65mm








STORM

Clay Brick Slip

SIZE 215mm x 65mm SCAN ME TO FIND OUT MORE AND ORDER A SAMPLE.

Licata Clay Brick Slips **10**



PUMPKIN SPICE

Clay Brick Slip

SIZE

215mm x 65mm








BLACK SLATE

Clay Brick Slip





SCAN ME TO FIND OUT MORE AND ORDER A SAMPLE. 215mm x 65mm




FROST Clay Brick Slip

SIZE 215mm x 65mm










AND ORDER A SAMPLE.



Licata Clay Brick Slips 14



AGED YELLOW


Clay Brick Slip

SIZE

215mm x 65mm








MOONSHINE

AND ORDER A SAMPLE.

Clay Brick Slip



Licata Clay Brick Slips 16



BURNT SIENNA


Clay Brick Slip

SIZE

215mm x 65mm












CREST Clay Brick Slip

SIZE

215mm x 65mm








MARS Clay Brick Sli



Licata Clay Brick Slips 20



DARK COCOA


Clay Brick Slip

SIZE

215mm x 65mm








SALMON

Clay Brick Slip

SIZE 215mm x 65mm







MUSTARD


Clay Brick Slip

SIZE

215mm x 65mm







GOLDEN BROWN


Clay Brick Slip

SIZE

215mm x 65mm







RUSTIC PEACH

Clay Brick Slip

SIZE

215mm x 65mm








DESERT

Clay Brick Slip

SIZE 215mm x 65mm







MOONSTONE


Clay Brick Slip

SIZE

215mm x 65mm








SUNRISE

AND ORDER A SAMPLE.

Clay Brick Slip



Licata Clay Brick Slips 28



SAND DUNES

Clay Brick Slip

SIZE

215mm x 65mm









DUSTY RED

Clay Brick Slip










THE CRAFTED RANGE

Clay Brick Slip






GRAPHITE

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	SMOOTH





CHESTNUT


Clay Brick Slip

SIZE

215mm x 65mm







BURNT UMBER


Clay Brick Slip

SIZE

215mm x 65mm







RUSTIC FLAMES


Clay Brick Slip

SIZE

215mm x 65mm







BURNT SAND


Clay Brick Slip

SIZE

215mm x 65mm







RED SEA


Clay Brick Slip

SIZE

215mm x 65mm







SMOKEY YELLOW


Clay Brick Slip

SIZE

215mm x 65mm







CHARRED RED

Clay Brick Slip

SIZE

215mm x 65mm







CHALKY YELLOW


Clay Brick Slip

SIZE

215mm x 65mm







VINTAGE GREY


Clay Brick Slip

SIZE

215mm x 65mm








TWILIGHT

AND ORDER A SAMPLE.

Clay Brick Slip



Licata Clay Brick Slips 42



JET BLACK


Clay Brick Slip

SIZE

215mm x 65mm








THE URBAN RANGE

Clay Brick Slip






IRON

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	SMOOTH







IRON

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	SMOOTH







BLUE

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	SMOOTH








NIGHTSKY

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	RING-KILN FIRED











FOSSIL

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	DISTRESSED








REDWOOD

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	RING-KILN FIRED








PENNY

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	RING-KILN FIRED






RUST

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	RING-KILN FIRED






EARTH

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	DISTRESSED








SMOKEY BROWN

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	WATERSTRUCK






TOBACCO

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	WATERSTRUCK







RUSTIC AUBURN

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	RING-KILN FIRED






RUSTIC BLAZE

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	WATERSTRUCK








CHARCOAL

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	VINTAGE








APOLLO CHALK

Clay Brick Slip

SIZE215mm x 65mmFINISHVINTAGE








POWDERED BRONZE

Clay Brick Slip SIZE 215mm x 65mm **FINISH**




VINTAGE



AUTUMN


Clay Brick Slip

SIZE	215mm x 65mm
FINISH	ΜΟΝΤΑΝΑ






 \langle



ANTIQUE

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	HANDFORMED







CHESTNUT RED

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	RING-KILN FIRED




k




RUSTIC ORANGE

Clay Brick Slip SIZE 215mm x 65mm FINISH RING-KILN FIRED








COUNTRY COTTAGE

Clay Brick Slip

SIZE215mm x 65mmFINISHMONTANA








RIPPLE RED

Clay Brick Slip SIZE 215mm x 65mm FINISH MONTANA SCAN ME TO FIND OUT MORE

AND ORDER A SAMPLE.

Licata Clay Brick Slips 66




COTTAGE MULTI


Clay Brick Slip

 SIZE
 215mm x 65mm

 FINISH
 VINTAGE








RED SAND

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	VINTAGE








RUSTIC RED

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	VINTAGE





k




WHITE WASHED


Clay Brick Slip

 SIZE
 215mm x 65mm

 FINISH
 VINTAGE









OLD MILLHOUSE

Clay Brick Slip

SIZE215mm x 65mmFINISHWEATHERED








SMOKEY RED

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	HANDFORMED









BURNT ORANGE

Clay Brick Slip

SIZE215mm x 65mmFINISHSMOOTH









ORANGE BLAZE

Clay Brick Slip

SIZE215mm x 65mmFINISHWEATHERED









DEEP RED

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	HANDFORMED








RED & BLUE FLAME

AND ORDER A SAMPLE.

Clay Brick Slip SIZE 215mm x 65mm FINISH HANDFORMED SCAN ME TO FIND OUT MORE


Licata Clay Brick Slips **76**



FLAME

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	HANDFORMED









CORAL

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	DISTRESSED









VOLCANO

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	DISTRESSED







BLUSH


Clay Brick Slip

SIZE	215mm x 65mm
FINISH	RUSTIC PINK



SCAN ME TO FIND OUT MORE AND ORDER A SAMPLE.


Licata Clay Brick Slips **80**



AMBER

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	HANDFORMED








SIENNA

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	SANDED








PUMPKIN


Clay Brick Slip

SIZE	215mm x 65mm
FINISH	HANDFORMED






 \langle



CANDY

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	WATERSTRUCK








POPCORN

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	DISTRESSED







HONEY

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	HANDFORMED







HONEYCOMB

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	RUSTIC PINK








COTSWOLD MIX

Clay Brick Slip SIZE 215mm x 65mm FINISH HANDSTRUCK








BONE

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	WATERSTRUCK








MILKY GREY

Clay Brick Slip

SIZE	215mm x 65mm
FINISH	WATERSTRUCK








ASH Clay Brick Slip

SIZE	215mm x 65mm	
FINISH	DISTRESSED	








DOVE GREY

Clay Brick Slip

SIZE	215mm x 65mm	
FINISH	DISTRESSED	








WHITE SAND

Clay Brick Slip

SIZE	215mm x 65mm	
FINISH	VINTAGE	





OUR FULL COLOUR RANGE































































































1 mm		12
ALC: NOT	and the	Sat 3
-		1000
	3(2)	
7.	15. V	191
and the man	の語	- le
	-	

	- the second and a second	100
1000		- 100
	and the balline	
-	and and a second	-
Same V	the second s	1000
-	man Multing	the second
	Contraction (1)	
Decision		
MES-	and a second	
1	San States In	Call and







OUR BRANCHES

Southgate

Unit 5 Brunswick Industrial Park Southgate N11 1JL, United Kindgom

Tel: 020 3987 0200

Dartford

Unit 4 Schooner Park Schooner Court, Dartford DA2 6NW, United Kingdom

Tel: 01322 927 600

Twickenham

Unit 6, Hampton Business Park Bolney Way, Twickenham TW13 6DB, United Kingdom

Tel: 020 8894 3372

Birmingham

Unit 17 Frankley Industrial Estate Tay Road, Frankley B45 OLD, Birmingham, United Kingdom



www.licataltd.co.uk