

CedraPlank | facade system



Beauty of wood with the durability of cement.

Fibre cement based premium plank facade system that emulate the look of timeless wood and is perfect for exterior and interior wall cladding.













The Licata CedraPlank system is available in eight different shades.



Black

Technical Specifications

Description	Licata CedraPlank
Durability Classification	Category A
Strength Classification	Class 2
Apparent Density	> 1300 kg/m³
Reaction to Fire	A2-s1, d0
Thermal Conductivity	0.212 W/mK



Applications

External Cladding	Internal Wall Lining
Concealed Ceiling	Soffit Lining
Gates and Fences	

Size	Thickness	
3600mm x 190mm	10 mm	



Advantages

- · Resistant to many chemicals
- · Sound insulating
- · Minimal maintenance in comparison to wood
- Fire safe (no fire ignition or spread of fire)
- Resistant to extreme temperatures
- Environmentally friendly
- Resistant to many living organisms such as fungi, bacteria, insects, etc

Textures



Wood

Licata CedraPlank System



System Components:

- 1. Existing Wall
- 2. Framing system
- 3. Mineral Wool Insulation
- 4. CedraPlank board
- 5. Fixing screws

Licata CedraPlank vs Wood & HPL

Properties	Licata CedraPlank	Wood
Low Maintenance	✓	Х
Bug Resistant	✓	Х
Moisture Resistant	✓	Х
Fire Resistant	✓	Х
Chemically Resistant	✓	X
Dimensionally Stable	✓	Х





Licata Building Systems Ltd

North London | West London | Kent | Essex Birmingham | Manchester

020 8894 3372 | info@licataltd.co.uk

www.licataltd.co.uk